

GoldenGate Real-Time 2006
International User Conference

Technical

SWEDBANK BASE24 DUALSITE
- a phased approach





Who I am

Peter Kvisthammar



- § 20 years experience with BASE24
- § Programmer Analyst at CEKAB
- § Programmer Analyst at Foreningssparbanken/Swedbank
- § Astech consultant at ACI Worldwide EMEA-region
- § CardIT since 2001
- § Worked with GoldenGate since 2004
- § Technical coordinator in Swedbank's Dualsite project since 2004



Foreningssparbanken/Swedbank

Swedbank

- § The leading bank in the Scandinavian-Baltic region
- § Established 1997 by merging
 - Sparbanken (1820/1942)
 - Foreningsbanken (1915/1956)
- § 750 offices in Sweden
- § 280 offices in the Baltic region
- § 8,5 million private customers, 431000 company customers
- § Presence in Finland, Denmark, Norway, Russia, Germany, Spain, USA, China and Japan
- § Business bank of the year 2003-2005
- § Bank of the year in Sweden 2005

SWEDBANK BASE24 DUALSITE



Tandem Systems

Site A/Site B

| | | |
|--------------------|---------------------|-----------------------|
| § CPU | 86006 | / 86004 and 88002 |
| § DISK | 7*18, 9*36, 1*72 GB | / 7*18, 9*36, 1*72 GB |
| § HSM | 3 Atalla | / 3 Atalla |
| § Guardian release | G06.26 | / G06.26 |



BASE24

Swedbank's Base24

- § Release 6.0.4
- § XPNET 3.0.64
- § POS, ATM and FHM
- § 4,5 million CAF records (cards)
- § 70000 directly connected POS devices
 - 5 different Device Handlers (4 variations of SPDH)
- § No directly connected ATMs
- § Connections to Mastercard and Visa
- § 20 HISO-based interfaces (issuer, acquirer and both)
- § EMV support

SWEDBANK BASE24 DUALSITE



BASE24 volumes



- § 70 millions transactions per month
- § Peek day 3,6 millions transactions
- § Peek TPS 150 (140 POS, 10 ATM)



Business goals for Dualsite

- § Disaster recovery
- § Maintenance down time
- § Sales argument



Project directives

Project directives in descending order

- § Quality
- § Time
- § Costs



Why GoldenGate Extractor/Replicator?

- § Already used by the Atlas system
- § D24
- § GoldenGate and ACI

SWEDBANK BASE24 DUALSITE



Project phases

- § Initial state backups
- § Hot site
- § Dual site

SWEDBANK BASE24 DUALSITE



Timeframes

Expected/Actual

| | | | |
|------------|----------------|---|-----------|
| § Hotsite | beginning 2005 | / | mid 2005 |
| § Dualsite | beginning 2006 | / | fall 2006 |



Hotsite

BASE24

- § Hotsite configured but not started

GoldenGate

- § No D24 functionality used
- § Dormant extractor/replicats HOT to PROD
- § Mapping of disks

Communication

- § Switchable between PROD and HOT



Dualsite

BASE24

- § Two completely separate systems
- § Both sites running and sharing the load
- § Each system responsible for its own cutover
- § Program changes needed

GoldenGate

- § D24 functionality used
- § No disk mapping needed as disk are one to one


Communication

- § Divided between the two systems
- § Changes needed at external parties

SWEDBANK BASE24 DUALSITE



Tandem system Dualsite configuration





Problem areas

- § PAK/UNPAK
- § Size of system
- § Host communication
- § Reversal issue towards interchanges
- § Early user of specific features
- § Test environment
- § Non standard bank specific solutions



Lessons learned

- § Phased approach
- § Disk configuration
- § New Nonstop Server
- § External parties
- § Communications harder than expected
- § License fees

SWEDBANK BASE24 DUALSITE



Thanks

- § Valero and their staff for being such nice hosts during our visit
- § Howard Bentkower for all his support and commitment

SWEDBANK BASE24 DUALSITE



Questions

